


No. 83

14 February 1947

Military Government

Weekly Health Report



OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH AND WELFARE BRANCH

Occupied Germany:

In the following Appendices "A", "B", and "C" are summaries of cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ended 25 January 1947.

Communicable Diseases:

Diphtheria continued the downward trend which has been evident since the peak was reached in October. A decided increase in tuberculosis during the week brought the reported cases to the highest point in the last ten months. After the increase of last week the incidence of gonorrhea declined to the relatively low level of the last two months, approximately 30% below the average during the past year. Syphilis increased to the highest number reported during any one week since the last week in August. There were no remarkable changes in the incidence of endemic diseases.

APPENDIX "A"

Communicable Disease Report United States Zone of Germany for Week ending 25 January 1947

Regierungs- bezirk	Popu- lation	Cases, Deaths	Reported Number of New CASES and DEATHS of COMMUNICABLE DISEASE c: Cases d: Deaths																											
			Typhus Fever	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung and Larynx	Tuberculosis other	Whooping Cough	Meningitis Meningococcus	Poliomyelitis	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery Infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis epid.	Rabies	Malaria	Influenza	Measles	
TOTAL US Zone	18,158,369	c	—	—	—	—	—	—	713	174	936	108	452	23	—	1694	1055	56	17	17	4	2	13	4482	—	—	1	79	1072	
		p	—	—	—	—	—	—	26	5	169	20	2	13	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	2
Unterfranken	1,012,873	c	—	—	—	—	—	—	22	4	42	10	35	2	—	52	42	4	2	—	—	—	—	289	—	—	1	8	28	
		p	—	—	—	—	—	—	1	—	8	3	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
Ober- and Mittelfranken	2,316,931	c	—	—	—	—	—	—	73	26	107	3	95	1	—	227	139	5	9	—	—	—	—	808	—	—	—	—	36	232
		p	—	—	—	—	—	—	4	—	14	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Niederbayern and Oberpfalz	2,010,972	c	—	—	—	—	—	—	50	13	57	4	36	4	—	149	76	23	—	—	—	—	—	930	—	—	—	—	3	116
		p	—	—	—	—	—	—	1	1	6	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Schwaben	1,220,880	c	—	—	—	—	—	—	56	7	47	3	25	1	—	133	62	3	1	—	—	—	—	311	—	—	—	—	—	49
		p	—	—	—	—	—	—	5	—	6	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Oberbayern	2,421,359	c	—	—	—	—	—	—	77	27	188	17	21	5	—	294	148	3	—	11	—	—	—	434	—	—	—	4	78	
		p	—	—	—	—	—	—	3	1	18	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kassel	1,231,960	c	—	—	—	—	—	—	61	7	52	16	45	1	—	116	61	2	—	—	—	—	—	233	—	—	—	—	—	45
		p	—	—	—	—	—	—	5	—	10	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wiesbaden	1,551,184	c	—	—	—	—	—	—	52	11	82	7	17	3	—	220	199	1	—	—	1	—	—	87	—	—	—	2	19	
		p	—	—	—	—	—	—	2	—	11	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Darmstadt	1,267,044	c	—	—	—	—	—	—	43	15	70	4	62	1	—	74	33	—	1	1	—	—	5	335	—	—	—	—	—	208
		p	—	—	—	—	—	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Baden	1,386,544	c	—	—	—	—	—	—	62	21	59	9	43	1	—	112	64	4	1	—	—	—	—	1	505	—	—	—	—	—
		p	—	—	—	—	—	—	2	1	14	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wuerttemberg	2,263,015	c	—	—	—	—	—	—	102	21	83	13	67	3	—	93	63	8	2	—	—	1	7	440	—	—	—	2	296	
		p	—	—	—	—	—	—	2	2	17	8	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Bremen	491,605	c	—	—	—	—	—	—	48	6	49	9	6	—	—	109	36	1	1	—	—	—	—	110	—	—	—	—	24	1
		p	—	—	—	—	—	—	—	—	14	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Berlin (US Sector)	984,002	c	—	—	—	—	—	—	67	16	100	13	+	1	—	115	132	2	1	5	3	—	—	+	—	—	—	—	+	+
		p	—	—	—	—	—	—	1	—	44	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—

+ Indicates no data submitted. — Indicates no cases reported.

APPENDIX "B" Communicable Disease Report (by Land) United States Zone of Germany for Week ending 25 January 1947

Land	Popu- lation	Cases, Deaths	Reported Number of New CASES and DEATHS of COMMUNICABLE DISEASE																							c: Cases		d: Deaths		
			Typhus Fever	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung and Larynx	Tuberculosis other	Whooping Cough	Meningitis	Poliomyelitis	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery Infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis epid.	Rabies	Malaria	Influenza	Measles	
Total US Zone	18,158,369	P c	—	—	—	—	—	—	713	174	936	108	452	23	—	1694	1055	56	17	17	4	2	13	4482	—	—	1	79	1072	
Bavaria	8,983,015	P c	—	—	—	—	—	—	26	5	169	20	2	13	—	—	—	6	—	1	—	—	—	—	—	—	—	—	—	2
Hessen	4,050,188	P c	—	—	—	—	—	—	278	71	441	37	212	13	5	855	467	38	12	11	—	—	—	2772	—	—	1	51	503	
Wuerttemberg Baden	3,649,559	P c	—	—	—	—	—	—	14	2	52	9	—	5	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	2
Bremen	491,605	P c	—	—	—	—	—	—	156	33	204	27	124	5	—	410	293	3	1	1	1	1	5	655	—	—	—	—	—	—
Berlin (US Sector)	984,002	P c	—	—	—	—	—	—	7	2	28	2	—	3	—	—	—	—	3	—	—	—	1	8	945	—	—	—	2	296
		P c	—	—	—	—	—	—	164	42	142	22	110	4	—	205	127	12	3	—	—	—	—	—	—	—	—	—	—	—
		P c	—	—	—	—	—	—	4	3	31	8	2	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	24	1
		P c	—	—	—	—	—	—	48	6	49	9	6	—	—	109	36	1	1	—	—	—	—	110	—	—	—	—	—	—
		P c	—	—	—	—	—	—	—	—	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		P c	—	—	—	—	—	—	67	16	100	13	+	1	—	115	132	2	—	5	3	—	—	+	—	—	—	—	+	—
		P c	—	—	—	—	—	—	1	—	44	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—

Case Rate Expressed as per 10,000 Population per Annum


Total US Zone	18,158,369		—	—	—	—	—	—	20.4	5.0	26.8	3.1	12.9	0.7	—	48.5	30.2	1.6	0.5	0.5	0.1	0.1	0.4	128.4	—	—	—	0.0	2.3	30.7
	8,983,015		—	—	—	—	—	—	16.1	4.5	25.5	2.1	12.3	0.8	—	49.5	27.0	2.2	0.7	0.6	—	—	—	160.5	—	—	—	0.1	3.0	29.1
Hessen	4,050,188		—	—	—	—	—	—	20.0	4.2	26.2	3.5	15.9	0.6	—	52.6	37.6	0.4	0.1	0.1	0.1	0.1	0.6	84.1	—	—	—	—	0.3	34.9
Wuerttemberg- Baden	3,649,559		—	—	—	—	—	—	23.4	6.0	20.2	3.1	15.7	0.6	—	29.2	18.1	1.7	0.4	—	—	0.1	1.1	134.6	—	—	—	—	0.3	42.2
Bremen	491,605		—	—	—	—	—	—	50.8	6.3	51.8	9.5	6.3	—	—	115.3	38.1	1.1	1.1	—	—	—	—	116.4	—	—	—	—	25.4	1.1
Berlin (US Sector)	984,002		—	—	—	—	—	—	35.4	8.5	52.8	6.9	+	0.5	—	60.8	69.8	1.1	—	2.6	1.6	—	—	+	—	—	—	—	+	+

+ Indicates no data submitted. — Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05

APPENDIX "C" Communicable Disease Rates United States Zone of Germany for Week ending 25 January 1947

Regierungs- Bezirk	Popu- lation	Typhus Fever	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung & Larynx	Tuberculosis other	Whooping Cough	Meningitis Meningococcus	Polio-myelitis	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery Infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis Epidemic	Rabies	Malaria	Influenza	Measles
Total US Zone	18,158,369	—	—	—	—	—	—	20.4	5.0	26.8	3.1	12.9	0.7	—	48.5	30.2	1.6	0.5	0.5	0.1	0.1	0.4	128.4	—	—	0.0	2.3	30.7
Unterfranken	1,012,873	—	—	—	—	—	—	11.3	2.1	21.6	5.1	18.0	1.0	—	26.7	21.6	2.1	1.0	—	—	—	—	148.4	—	—	0.5	4.1	14.4
Ober- and Mittelfranken	2,316,931	—	—	—	—	—	—	16.4	5.8	24.0	0.7	21.3	0.2	—	50.9	31.2	1.1	2.0	—	—	—	—	181.3	—	—	—	8.1	52.1
Niederbayern and Oberpfalz	2,010,972	—	—	—	—	—	—	12.9	3.4	14.7	1.0	9.3	1.0	—	38.5	19.7	5.9	—	—	—	—	—	240.5	—	—	—	0.8	30.0
Schwaben	1,220,880	—	—	—	—	—	—	23.9	3.0	20.0	1.3	10.6	0.4	—	56.6	26.4	1.3	0.4	—	—	—	—	132.5	—	—	—	—	20.9
Oberbayern	2,421,359	—	—	—	—	—	—	16.5	5.8	40.4	3.7	4.5	1.1	—	63.1	31.8	0.6	—	2.4	—	—	—	93.2	—	—	—	0.9	16.8
Kassel	1,231,960	—	—	—	—	—	—	25.7	3.0	21.9	6.8	19.0	0.4	—	49.0	25.7	0.8	—	—	—	—	—	98.3	—	—	—	—	19.0
Wiesbaden	1,551,184	—	—	—	—	—	—	17.4	3.7	27.5	2.3	5.7	1.0	—	73.7	66.7	0.3	—	—	0.3	0.3	—	29.2	—	—	—	0.7	6.4
Darmstadt	1,267,044	—	—	—	—	—	—	17.6	6.2	28.7	1.6	25.4	0.4	—	30.4	13.5	—	0.4	0.4	—	—	2.1	137.5	—	—	—	—	85.4
Baden	1,386,544	—	—	—	—	—	—	23.3	7.9	22.1	3.4	16.1	0.4	—	42.0	24.0	1.5	0.4	—	—	—	0.4	189.4	—	—	—	—	—
Wuerttemberg	2,263,015	—	—	—	—	—	—	23.4	4.8	19.1	3.0	15.4	0.7	—	21.4	14.5	1.8	0.5	—	—	0.2	1.6	101.1	—	—	—	0.5	68.0
Bremen	491,605	—	—	—	—	—	—	50.8	6.3	51.8	9.5	6.3	—	—	115.3	38.1	1.1	1.1	—	—	—	—	116.4	—	—	—	25.4	1.1
Berlin (US Sector)	984,002	—	—	—	—	—	—	35.4	8.5	52.8	6.9	+	0.5	—	60.8	69.8	1.1	—	2.6	1.6	—	—	+	—	—	—	+	+

+ Indicates no data submitted. — Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05



6641200/2/26/47